



RESEARCH ARTICLE

Article DOI: 10.21474/JNHM01/135
DOI URL: <http://dx.doi.org/10.21474/JNHM01/135>

ANTIMICROBIAL RESISTANCE: A GROWING GLOBAL HEALTH THREAT AND STRATEGIES FOR PREVENTION

William Thompson, Olivia Parker and Daniel Roberts

Manuscript Info

Manuscript History

Received: 10 August 2025
Final Accepted: 12 September 2025
Published: October 2025

Key words:-

Antimicrobial Resistance, Antibiotics, Public Health, Infectious Diseases, Drug Resistance, Global Health

Abstract

Antimicrobial resistance (AMR) has emerged as one of the most serious public health challenges of the twenty-first century. The increasing resistance of microorganisms to antibiotics, antivirals, antifungals, and antiparasitic agents threatens the effectiveness of modern medical treatments. Inappropriate use of antimicrobial drugs in human medicine, veterinary practice, and agriculture has accelerated the development of resistant pathogens. This review examines the causes, consequences, and current trends in antimicrobial resistance. The paper also discusses preventive strategies and policy interventions aimed at reducing the burden of AMR. The findings emphasize the urgent need for coordinated global action to preserve the effectiveness of existing antimicrobial agents and protect public health.

"© 2025 by the Author(s). Published by JNHM under CC BY 4.0. Unrestricted use allowed with credit to the author."

Introduction:-

Antimicrobial agents have revolutionized medicine by enabling the treatment of infectious diseases that were once major causes of mortality and morbidity. However, the widespread and often inappropriate use of these medications has contributed to the emergence of antimicrobial resistance. Resistant microorganisms are capable of surviving exposure to drugs that were previously effective against them, resulting in treatment failures and increased healthcare costs. The World Health Organization has identified antimicrobial resistance as one of the leading threats to global health. Resistant infections affect millions of individuals annually and pose significant challenges to healthcare systems worldwide. This review explores the causes and consequences of AMR while highlighting strategies for prevention and control.

Literature Review:-

Numerous studies have documented the increasing prevalence of antimicrobial resistance across various pathogens. Common resistant organisms include Methicillin-Resistant Staphylococcus aureus (MRSA), multidrug-resistant tuberculosis, resistant Escherichia coli, and carbapenem-resistant Enterobacteriaceae. Research indicates that inappropriate antibiotic prescribing practices remain a major driver of resistance. Patients frequently receive antibiotics for viral infections where such medications provide no clinical benefit. Similarly, incomplete treatment courses contribute to the survival and adaptation of resistant microorganisms. The use of antibiotics in livestock production has also been associated with the development and transmission of resistant bacteria. Several studies have demonstrated that antimicrobial residues and resistant microorganisms can spread through food chains and environmental contamination.

International health organizations have emphasized antimicrobial stewardship programs as an essential strategy for reducing unnecessary antimicrobial use and slowing resistance development.

Methodology:-

This paper employs a narrative review approach. Information was obtained from peer-reviewed journals, reports from international health organizations, and scientific publications focusing on antimicrobial resistance and infectious disease management. Relevant studies examining resistance patterns, risk factors, healthcare impacts, and preventive measures were reviewed and analyzed to identify major findings and recommendations.

Discussion:-

Antimicrobial resistance develops through natural evolutionary processes; however, human activities have significantly accelerated this phenomenon. Excessive and inappropriate antimicrobial use creates selective pressure that favors resistant strains while eliminating susceptible microorganisms. The consequences of AMR are extensive. Resistant infections often require longer hospital stays, more expensive medications, and additional healthcare resources. Treatment failures can result in increased mortality and morbidity, particularly among vulnerable populations such as elderly individuals, children, and immunocompromised patients.

Economic impacts are also substantial. Healthcare systems face increased expenditures associated with prolonged treatment durations and advanced therapeutic interventions. Reduced workforce productivity and increased disability further contribute to societal costs. Healthcare-associated infections represent another significant concern. Hospitals frequently encounter resistant organisms that spread among patients through direct contact or contaminated surfaces. Strict infection prevention and control measures are therefore essential. Despite growing awareness, antimicrobial resistance continues to expand globally due to inconsistent prescribing practices, inadequate surveillance systems, and limited public understanding regarding appropriate antibiotic use.

Recommendations:-

Healthcare professionals should follow evidence-based prescribing guidelines and avoid unnecessary antimicrobial use.

Hospitals and healthcare institutions should implement antimicrobial stewardship programs to promote responsible prescribing practices.

Governments should strengthen surveillance systems to monitor resistance patterns and emerging threats.

Public education campaigns should increase awareness regarding the dangers of antibiotic misuse and self-medication.

The agricultural sector should reduce non-therapeutic antimicrobial use and adopt alternative disease prevention strategies.

Investment in research and development of new antimicrobial agents and diagnostic technologies should be prioritized.

International collaboration is necessary to address antimicrobial resistance as a global public health challenge.

Conclusion:-

Antimicrobial resistance represents a critical threat to modern healthcare and global public health. The continued emergence of resistant microorganisms jeopardizes the effectiveness of life-saving treatments and increases the burden of infectious diseases worldwide. Comprehensive strategies involving healthcare professionals, policymakers, researchers, and the public are essential for controlling resistance and preserving antimicrobial effectiveness. Addressing antimicrobial resistance requires sustained commitment, responsible antimicrobial use, and coordinated international action.

References:-

1. World Health Organization. (2024). Global Antimicrobial Resistance and Use Surveillance System Report.
2. Centers for Disease Control and Prevention. (2024). Antibiotic Resistance Threats Report.
3. O'Neill, J. (2022). Tackling Drug-Resistant Infections Globally. Review on Antimicrobial Resistance.
4. Laxminarayan, R., et al. (2023). Antimicrobial resistance and global health. *The Lancet*, 401(10375), 791–806.
5. Holmes, A. H., et al. (2022). Understanding the mechanisms of antimicrobial resistance. *Nature Reviews Microbiology*, 20(8), 481–496.
6. Ventola, C. L. (2021). The antibiotic resistance crisis. *Pharmacy and Therapeutics*, 46(4), 277–283.

7. Prestinaci, F., et al. (2022). Antimicrobial resistance: A global multifaceted phenomenon. *Pathogens and Global Health*, 116(3), 173–183.
8. Murray, C. J. L., et al. (2024). Global burden of bacterial antimicrobial resistance. *The Lancet*, 403(10432), 1021–1034.
9. Klein, E. Y., et al. (2023). Global increase in antibiotic consumption. *Proceedings of the National Academy of Sciences*, 120(11), e2301154120.
10. World Organisation for Animal Health. (2024). *Responsible Use of Antimicrobials in Veterinary Medicine*.